In the Claims

Please amend the claims as follows. Please cancel claims 22-25 without prejudice. <u>A</u>

marked up version of the claims showing the changes made is attached to this communication at

<u>Appendix B.</u>

6.

A delivery device as claimed in claim 1, in which the material of the (Amended) paperboard strip includes a combustion promoter.

- (Amended) A delivery device as claimed in claim 5, in which the combustion promoter is distributed substantially uniformly throughout the paperboard strip.
- A delivery device as claimed in claim 1, in which the combustion (Amended) promoter comprises charcoal powder, the charcoal powder being present in the paperboard about 1 to 10% by weight of the dry paperboard.
- A delivery device as claimed in claim 1, in which the paperboard strip has 8. (Amended) a substantially rectangular cross section, the thickness of the strip being at least about 0.2 mm and not more than about 1.9 mm.
- (Amended) A delivery device as claimed in claim 8, in which the width of the strip is at 9. least about 2 mm and not being more than about 6 mm.
- (Amended) A delivery device as claimed in claim 1, in which the density of the 10. paperboard strip is at least about 400 kg.m⁻³ and not more than about 1000 kg.m⁻²

14. (Amended) A method as claimed in claim 11, which includes the step of attaching the paperboard to a flexible backing sheet.

- (Amended) A method as claimed in claim 11, in which the furnish comprises waste 16. paper.
- (Amended) A method as claimed in claim 11, in which the furnish comprises wood free 17. fibers.

D

18. (Amended) A method as claimed in claim 11, which further comprises the step of adding a combustion promoter to the fluid suspension.

19. (Amended) A method as claimed in claim 11, wherein the combustion promoter comprises charcoal.

26. (New) A delivery device as claimed in claim 1, in which the paperboard strip has a substantially rectangular cross section, the thickness of the strip being at least about 0.6 mm and not more than about 1.8 mm.

27. (New) A delivery device as claimed in claim 1, in which the width of the strip is at least about 5 mm and not more than about 6 mm.

28. (New) A delivery device as claimed in claim 1, in which the density of the paperboard strip is at least about 550 kg.m⁻³ and not more than about 650 kg.m⁻³.

29. (New) A method as claimed in claim 16 wherein the waste paper is comprised of kraft pulp.

30. (New) A method as claimed in claim 16 wherein the waste paper is comprised of newspaper waste.

31. (New) A method as claimed in claim 17 wherein the wood free fibers are comprised of bagasse.

32. (New) A method as claimed in claim 17 wherein the wood free fibers are comprised of straw.

33. (New) A method as claimed in claim 17 wherein the wood free fibers are comprised of bamboo.

₩(34.

(New) A method as claimed in claim 11, in which the combustion promoter is comprised of an organic dye.